

# Single-fiber Port Cleaner

2.5 mm connectors

CORNING

Corning single-fiber port cleaners are designed to clean connector end faces in patch panels and adapters. An integrated dust cap allows for cleaning unmated connector end faces. Single-fiber port cleaners are proven effective for removing the following from connector end faces: skin oil, hand lotion, Arizona road dust, pre- and post-mate graphite, salt, isopropyl alcohol residue and distilled water residue. These cleaners are easy to use and offer over 525 cleanings.

## Features and Benefits

### Cleaning system rotates 180 degrees

Provides a full cleaning of the connector end face

### Extendable tip

Allows for cleaning in hard-to-reach spaces

### Cleaning fibers dissipate static

Addresses any electrostatic discharge (ESD) concerns

### Numerous engagements

Offers over 525 cleanings



Part Number: CLEANER-PORT-2.5

## Specifications

### General Specifications

Product Type	Accessories
Packaging	Individual Packaging

### Chemical Characteristics

RoHS	Free of hazardous substances according to RoHS 2002/95/EG
------	---

## Ordering Information

Part Number	CLEANER-PORT-2.5
Product Description	Single-fiber Port Cleaner for all 2.5 mm ferruled connectors such as FC, SC and ST® Compatible Connectors; effective for PC, UPC and APC polishes
EAN Code	4042673619598
Weight	0.05 kg (0.1 lb)

CORNING

# Single-fiber Port Cleaner

2.5 mm connectors

CORNING

## Shipping Information

Units per Delivery	1/1
--------------------	-----



**Corning Optical Communications LLC • PO Box 489 • Hickory, NC 28603-0489 USA**

**800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • [www.corning.com/opcomm](http://www.corning.com/opcomm)**

A complete listing of the trademarks of Corning Optical Communications is available at [www.corning.com/opcomm/trademarks](http://www.corning.com/opcomm/trademarks). All other trademarks are the properties of their respective owners. Corning Optical Communications is ISO 9001 certified. © 2015 Corning Optical Communications. All rights reserved.

CORNING